


# Trinahome

Your premium solar roof




To buy, contact:  
Nitashi Solar  
Call: +91-9834653792  
Email: [info@nitashi.in](mailto:info@nitashi.in)  
Web: [www.nitashi.in](http://www.nitashi.in)




**"Creating Power-Ful Future"**

# Solar Roof System

## ■ Tilt Roof



## ■ Flat Roof



# Provides Premium Values

## ■ Premium Components

-  Solar panels
-  Mounting system, cable and parts
-  Inverter + Grid box

## ■ Premium Values

-  One stop system warranty by Trina
-  Professional grid connection service
-  User manual
-  Cloud based energy monitoring system

# Trinahome Standard Configuration

Product Code Name			
Flat-roof		Tile-roof	
3kW Single-phase	TSH-S03K60PF	3kW Single-phase	TSH-S03K60PT
5kW Single-phase	TSH-S05K60PF	5kW Single-phase	TSH-S05K60PT
5kW Three-phase	TSH-T05K60PF	5kW Three-phase	TSH-T05K60PT
10kW Three-phase	TSH-T10K60PF	10kW Three-phase	TSH-T10K60PT



### Trinahome-3kW

- 12pcs Trina 60 cells modules
- 3kW single-phase inverter
- 3kW single-phase grid-box
- Mounting system
- Cable/DC30m AC 40m grounding10m
- Monitoring system



### Trinahome-5kW

- 20pcs Trina 60 cells modules
- 5kW single-phase / three-phase inverter
- 5kW single-phase / three-phase grid-box
- Mounting system
- Cable/DC40m AC40m grounding15m
- Monitoring system



### Trinahome-10kW

- 38pcs Trina 60 cells modules
- 10kW three-phase inverter
- 10kW three-phase grid-box
- Mounting system
- Cable/DC40m AC40m grounding20m
- Monitoring system



MODULE

- **High performance**  
Maximized energy harvest
- **High reliable due to stringent quality control**  
Over 30 in-house tests
- **Certified to withstand the most challenging environmental conditions**  
2400Pa negative load / 5400Pa positive load



INVERTER

- **High efficiency**  
Max. Efficiency 98.3%
- **Compact size**  
Easy installation
- **Reliable and safe**  
Stringent testing
- **High protection**  
IP65 enclosure



GRID-BOX

- **IP65 indoor and outdoor**  
Good dustproof and waterproof
- **Reliable and safe**  
Stringent testing



MOUNTING

- **Reliable performance**  
Optimized structure, high strength
- **Flexible installation**  
Additional components may be required for customization of rooftops
- **Save installation time**  
Provide complete set of mountings

# One Complete Solution



# Warranty

Trina provides a 5 years standard warranty for Trinahome.

- 10** years PV modules product warranty
- 25** years PV modules performance warranty
- 5** years inverter and grid box warranty
- 5** years mountings warranty

# Certification

Attain industry standard certifications and passed rigorous testing

<b>Module</b>	IEC61215/IEC61730/UL1703/IEC61701/IEC62716 ISO 9001: Quality Management System ISO 14001: Environmental Management System ISO14064: Greenhouse gases Emissions Verification OHSAS 18001: Occupation Health and Safety Management System
<b>Inverter</b>	IEC61727, IEC62116, IEC60068, IEC61683, IEC62109-1&2, IEC61000
<b>Grid box</b>	Compliant to IEC60269-2, IEC61643-11
<b>Cable</b>	Compliant to EN50618



## Sales Process Support



### Pre-Sales Proposition Selling

- Sales Leads/Referral
- Sample Request
- Technical Support
- Product Qualification
- Tender Bidding
- Special Order



### Sales Solution Design

- Design Verification
- Technical Support
- Customer Training
- Certification and Testing




### Post Sales Implementation and Support

- Warranty Claims(RMA)
- Product Recall
- Distribution/logistics Support
- Find Support/on-site Service
- VOC Channels
- Customer Satisfaction Survey

## Multiple Contact Channels

Global Customer

Channels Of Contact




Access to Trina Solar's Customer Service Portal at:

<http://customerservice.trinasolar.com/home.aspx?lang=en-us>



APP for Customer service:



For Android



For iOS

To buy, contact:  
Nitashi Solar

Call: +91-9834653792 | Email: info@nitashi.in | Web: www.nitashi.in